



Topcer




TOWER
CERAMICS

Topcer

The Topcer range is one of the most versatile product programmes we offer.

Made in through body unglazed porcelain and of exceptional quality, the product boasts a wide variety of colours and shapes which makes for a specifier's playground.

Supported by an exhaustive range of trim pieces and technical anti-slip finishes, there are numerous applications for the Topcer range.



A large number of products are kept in stock—primarily the 96x96, 71x146 and 146x146 format material, as well as a good selection of the complementary special pieces and shapes. Our main stockholding is in the matt finish but we keep some textured material in the UK for environments which require increased slip resistance. The remaining items in the extensive programme are available to special order with typical delivery time of 3-4 weeks from order.

Made in Portugal.

CORE RANGE FORMATS



96x96x8 mm



71x146x8 mm



146x146x8 mm



110x115x8mm Hexagon



96x296x8 mm



96x96x8 mm Octagon

30x30x8 mm Insert

A wide selection of core material is kept in stock.

SPECIAL SHAPE FORMATS



29x146x8 mm Strip Maxi

Co-ordinates with 146 module above, can be sheeted on 296x296mm



21x137x8 mm Strip

Co-ordinates with diagonal of 96x96x8mm square



93x93x8mm 4TR Triangle , one half of a 96x96x8mm square



63x63x8mm 2TR Triangle , one quarter of a 96x96x8mm square



45x45x8mm 1TR Triangle , one eighth of a 96x96x8mm square



71x71x8mm Square 71. Facilitates designs with 146x146 and 71x146



64x64x8mm Square 64. Diagonal co-ordinates with 96x96x8mm square















30x30x8mm Square 3D. (Half and quarter versions also available)



96x44x8mm Lozenge LZ. Tessellates or co-ordinates with Square 3D.

Note : dimensions provided are nominal measurements. Work sizes may deviate from nominal sizes. The range is designed to be modular around a 4mm grout joint.

MONOCHROME





MICRO SPECKLE





TEXTURES




Available in all formats

Slip Rating : 96x96 and 146x146 : R10

96x96 and 146x146 : A+B

96x96 and 146x146 PTV > 36 (4S) ; PTV > 36 (TRL)




Square Stud (SS) - Available in 96x96 and 146x146

Slip Rating : 96x96 and 146x146 : R11

96x96 and 146x146 : A+B+C

96x96 and 146x146 PTV > 36 (4S) ; PTV > 36 (TRL)




Round Circles (RC) Available in 96x96 and 146x146

Slip Rating : 96x96 and 146x146 : R11

96x96 and 146x146 : A+B+C

96x96 and 146x146 PTV > 36 (4S) ; PTV > 36 (TRL)




Riven Texture (RT) - Available in 96x96, 146x146 and 296x296

Slip Rating : 96x96 and 146x146 : R12

96x96 and 146x146 : A+B+C

96x96 and 146x146 PTV > 36 (4S) ; PTV > 36 (TRL)




Diamond Design (DD) - Available in 96x96 and 146x146

Slip Rating : 96x96 and 146x146 : R12

96x96 and 146x146 : A+B+C


96x96 and 146x146 PTV > 36 (4S) ; PTV > 36 (TRL)

Certification available on request.




TRIM PIECES



STAIR TREAD




BULLNOSE




POOL EDGE



COVE BASE



SANITARY COVE BASE WALL ANGLES (QUARTER ROUND) (reversible)




Shapes available in all colours ; matt texture unless shown


MESH MOUNTED PATTERNS

A huge programme of mesh-mounted designs is available from this factory, including main panels, borders and corners. Colours can be selected from the vast majority of the monochrome colour pallet at no additional cost. Pattern styles cover both the traditional Victorian style and contemporary looks using the whole range of shapes produced.


Oxford




Guilford



Venezia



Marvila



Year	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
01	●	○	●	○	●	●	○	○	○	○
03	●	○	●	○	○	○	○	○	○	○
04	●	○	●	○	○	○	○	○	○	○
05	●	○	●	○	○	○	○	○	○	○
06	●	○	●	○	○	○	●	○	○	○
07	●	○	●	○	○	○	●	○	●	○
11	●	○	○	○	○	○	●	○	○	○
13	●	○	○	○	○	○	●	○	●	○
14	●	●	●	●	●	●	●	●	●	●
15	●	○	○	○	○	○	●	○	○	○
16	●	●	●	●	○	○	●	●	●	●**
18	●	○	●	○	○	○	○	○	○	○
19	●	○	●	○	○	○	○	○	○	○
20	●	○	●	○	○	●	●	○	○	●
21	●	○	●	○	○	○	○	○	○	○
25	●	○	●	○	○	○	×	×	×	×
27	●	○	○	○	○	○	○	○	○	○
28	●	○	●	○	○	○	○	○	○	○
29	●	○	●	○	○	○	●	○	○	○
30	●	○	●	○	○	○	○	○	○	○

● - UK Stock ; O- Special Order (4 weeks typically); ✕- not produced ; ** - loose and on mesh with black dot

Sep-2025

CLEANING AND MAINTENANCE



Tower Ceramics recommends Fila products to ensure the best results for your installation, from the moment it is finished and for years to come.

Initial clean :

- Product required : For cement-based grout : Fila Deterdek, 1 ltr per 20 sq.m. Dilute 1:5 with water
For epoxy Grout : Fila CR10, 1 ltr per 10 sq.m. Used neat
- Equipment advised : Single disc professional cleaner, liquid vacuum cleaner, bucket, cloths/sponges
- Method : Lightly wet the floor then apply the solution to the floor. Allow to work for 5 minutes then use the disc cleaner to help release the dirt. Remove the solution with the vacuum cleaner, then rinse thoroughly and remove the rinsing water with the vacuum cleaner. Allow to dry.

Standard clean :

- Product required : Fila FilaCleaner. Dilute 1:200 with water
- Equipment advised : Bucket and mop/cloth, although professional equipment will be quicker and more efficient
- Method : Apply the dilute solution over the floor, and remove it with a mop once stains are removed. Rinse if especially dirty. Increase concentration up to 1:30 may be used although this will require rinsing with water.

Intensive clean :

- Product required : Fila PS87. Dilute 1:5 with water
- Equipment advised : Single disc professional cleaner, liquid vacuum cleaner, bucket, cloths/sponges
- Method : Lightly wet the floor then apply the diluted solution to the floor. Allow to work for 5 minutes then use the disc cleaner to help release the dirt. Remove the solution with the vacuum cleaner, then rinse thoroughly and remove the rinsing water with the vacuum cleaner. Allow to dry

Always trial cleaning products/process on a test area first to ensure suitability. For other cleaning issues we recommend the full range of Fila Solutions products. See www.filasolutions.com/eng for a complete list of products, method statements, technical datasheets and safety datasheets.

For any additional technical information please contact our sales office.



TOWER CERAMICS

Showroom and Offices :

89-95 Parkway

Camden Town

London NW1 7PP

Rev.1020